



## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 03-Mar-2020

Revision Date: 17-Mar-2020

Revision Number: 1

### Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>Product Name</b>	<b>ROSCO OFF BROADWAY VAN DYKE BROWN</b>
<b>Product Code</b>	<b>RF5380</b>
<b>Alternate Product Code</b>	XY5112
<b>Product Class</b>	Water thinned paint
<b>Color</b>	brown
<b>Recommended use</b>	Paint
<b>Restrictions on use</b>	No information available

#### **Roscolab Limited**

Blanchard Works  
Kangley Bridge Road  
Sydenham  
London SE26 5AQ  
Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT)  
Email: info.emea@rosco.com

#### **Rosco Laboratories Inc.**

52 Harbor View Avenue  
Stamford, CT 06902, USA  
Phone: (203)-708-8900  
www.rosco.com

#### **Emergency Telephone**

CHEMTREC: +1-703-741-5970  
CHEMTREC (United Kingdom Local Number): +44-870-8200418

### Section 2: HAZARDS IDENTIFICATION

#### **2.1. Classification of the substance or mixture**

*Regulation (EC) No 1272/2008*

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

#### **2.2. Label elements**

##### **Product Identifier**

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)  
EUH210 - Safety data sheet available on request

### 2.3. Other hazards

General Hazards No information available

## **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Limestone	215-279-6	1317-65-3	>=10 - <15	Not available	Not available
Talc	238-877-9	14807-96-6	>=1 - <5	Not available	Not available
Propylene glycol	200-338-0	57-55-6	>=1 - <5	Not available	01-2119456809-23-02 24
Iron oxide	215-168-2	1309-37-1	>=1 - <5	Not available	Not available
Carbon black	215-609-9	1333-86-4	>=0.5 - <1	Not available	Not available
Silica, crystalline	238-878-4	14808-60-7	>=0.1 - <0.3	STOT RE 1 (H372)	Not available

Full text of H- and EUH-phrases: see section 16

## **Section 4: FIRST AID MEASURES**

### 4.1. Description of first aid measures

#### Description of first aid measures

<b>General Advice</b>	No hazards which require special first aid measures.
<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Inhalation</b>	Move to fresh air. If symptoms persist, call a physician.
<b>Ingestion</b>	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.

### 4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects None known.

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes To Physician

Treat symptomatically.

## Section 5: FIRE FIGHTING MEASURES

### 5.1. Extinguishing media

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media**

No information available.

### 5.2. Special hazards arising from the substance or mixture

**Specific Hazards Arising From The Chemical**

Closed containers may rupture if exposed to fire or extreme heat.

**Sensitivity to static discharge**

No

**Sensitivity to mechanical impact**

No

### 5.3. Advice for firefighters

**Protective equipment and precautions for firefighters**

Wear self-contained breathing apparatus and protective suit.

## Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal Precautions**

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

**Other Information**

Observe all relevant local and international regulations.

### 6.2. Environmental precautions

**Environmental precautions**

Prevent spreading of vapors through sewers, ventilation systems and confined areas.

### 6.3. Methods and material for containment and cleaning up

**Methods for Containment**

Absorb with inert material and place in suitable container for disposal.

**Methods for Cleaning Up**

Clean contaminated surface thoroughly.

### 6.4. Reference to other sections

**Other information**

See Section 12 for additional information.

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

**Handling** Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

**Hygiene Measures** Wash thoroughly after handling.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage** Keep container tightly closed. Keep out of the reach of children.

**7.3. Specific end use(s)**

**Specific Uses** Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.

**Risk Management Methods (RMM)** Not Applicable.

**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

Chemical name	European Union	Belgium	Bulgaria	Cyprus	France	Ireland	
Limestone 1317-65-3	-	TWA: 10 mg/m <sup>3</sup>	TWA: 1.0 fiber/cm <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	-	-	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>	
Talc 14807-96-6	-	TWA: 2 mg/m <sup>3</sup>	TWA: 1.0 fiber/cm <sup>3</sup> TWA: 6.0 mg/m <sup>3</sup> TWA: 3.0 mg/m <sup>3</sup>	-	-	TWA: 10 mg/m <sup>3</sup> TWA: 0.8 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 2.4 mg/m <sup>3</sup>	
Propylene glycol 57-55-6	-	-	-	-	-	TWA: 10 mg/m <sup>3</sup> TWA: 150 ppm TWA: 470 mg/m <sup>3</sup> STEL: 1410 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 450 ppm	
Iron oxide 1309-37-1	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5.0 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>	
Chemical name	Germany	Greece	Hungary	Iceland	Italy	Latvia	
Limestone 1317-65-3	-	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-	-	-	
Talc 14807-96-6	-	TWA: 10 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	-	-	-	
Propylene glycol 57-55-6	-	-	-	-	-	TWA: 7 mg/m <sup>3</sup>	
Iron oxide 1309-37-1	-	TWA: 10 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>	3.5 mg/m <sup>3</sup> TWA	-	-	
Chemical name	Lithuania	Netherlands	Poland	Romania	Spain	Sweden	United Kingdom
Limestone 1317-65-3	-	-	-	TWA: 10 mg/m <sup>3</sup>	-	-	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>
Talc 14807-96-6	TWA: 2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 0.25 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TLV: 2 mg/m <sup>3</sup> TLV: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>

Propylene glycol 57-55-6	TWA: 7 mg/m <sup>3</sup>	-	TWA: 100 mg/m <sup>3</sup>	-	-	-	TWA: 150 ppm TWA: 474 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> STEL: 450 ppm STEL: 1422 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>
Iron oxide 1309-37-1	TWA: 3.5 mg/m <sup>3</sup>	-	STEL: 10 mg/m <sup>3</sup> STEL: 5 mg/m <sup>3</sup> TWA: 2.5 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TLV: 3.5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>

**8.2. Exposure controls**

**Occupational exposure controls**

<b>Engineering Measures</b>	Ensure adequate ventilation, especially in confined areas.
<b>Personal Protective Equipment</b>	
<b>Respiratory Protection</b>	In case of insufficient ventilation wear suitable respiratory equipment.
<b>Eye Protection</b>	Safety glasses with side-shields.
<b>Skin Protection</b>	Lightweight protective clothing.
<b>Hand protection</b>	Impervious gloves.
<b>Hygiene Measures</b>	Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

**Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	brown liquid
<b>Odor</b>	little or no odor
<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
Density (g/L)	1354 - 1402	None known
Relative Density	1.35 - 1.40	
pH	No information available	None known
Viscosity (cps)	No information available	None known
Solubility(ies)	No information available	None known
Water solubility	No information available	None known
Evaporation Rate	No information available	None known
Vapor pressure	No information available	None known
Vapor density	No information available	None known
Wt. % Solids	50 - 60	None known
Vol. % Solids	35 - 45	None known
Wt. % Volatiles	40 - 50	None known
Vol. % Volatiles	55 - 65	None known

Boiling Point (°C)	100	None known
Freezing Point (°C)	0	None known
Melting Point (°C)	No information available	None known
Pour Point	No information available	None known
Flash Point (°C)	Not applicable	None known
Flammability (solid, gas)	No information available	None known
Upper flammability limit:	No information available	None known
Lower flammability limit:	No information available	None known
Autoignition Temperature (°C)	No information available	None known
Decomposition Temperature (°C)	No information available	None known
Partition coefficient	No information available	None known
Explosive properties	No information available	None known
Oxidizing Properties	No information available	None known

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity Not Applicable.

### 10.2. Chemical stability

Chemical Stability Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

### 10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

### 10.5. Incompatible materials

Incompatible Materials No materials to be especially mentioned.

### 10.6. Hazardous decomposition products

Hazardous Decomposition Products None under normal conditions of use.

## Section 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Product Information

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	There is no data available for this product.
Ingestion	There is no data available for this product.

**Acute Toxicity**

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene glycol 57-55-6	= 20 g/kg ( Rat )	= 20800 mg/kg ( Rabbit )	
Iron oxide 1309-37-1	> 10000 mg/kg ( Rat )		
Carbon black 1333-86-4	> 15400 mg/kg ( Rat )	> 3 g/kg ( Rabbit )	

**Skin corrosion/irritation**

No information available.

**Eye damage/irritation**

No information available.

**Sensitization**

No sensitizing effects known.

**Mutagenic Effects**

No information available.

**Carcinogenic effects**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Carbon black 1333-86-4		2B - Possible Human Carcinogen
Silica, crystalline 14808-60-7		1 - Human Carcinogen

• Crystalline Silica has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.

**Legend**

IARC - International Agency for Research on Cancer

**Reproductive Effects**

No information available.

**Developmental Effects**

No information available.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

Causes damage to organs through prolonged or repeated exposure if inhaled.

**Neurological Effects**

No information available.

**Target organ effects**

No information available.

**Symptoms**

No information available.

**Aspiration Hazard**

No information available.

**Section 12: ECOLOGICAL INFORMATION**

**12.1. Toxicity**

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Talc 14807-96-6		LC50: >100g/L (96h, Brachydanio rerio)	
Propylene glycol 57-55-6	EC50: =19000mg/L (96h, Pseudokirchneriella subcapitata)	LC50 41 - 47 mL/L Oncorhynchus mykiss (96 h) LC50 = 710 mg/L Pimephales promelas (96 h) LC50 = 51600 mg/L Oncorhynchus mykiss (96 h) LC50 = 51400 mg/L Pimephales promelas (96 h)	EC50 > 1000 mg/L (48 h) EC50 > 10000 mg/L (24 h)
Iron oxide 1309-37-1		LC50: =100000mg/L (96h, Danio rerio)	
Carbon black 1333-86-4			EC50: >5600mg/L (24h, Daphnia magna)

**12.2. Persistence and degradability**

**Persistence / Degradability** No information available.

**12.3. Bioaccumulative potential**

**Bioaccumulation** No information available.

**12.4. Mobility in soil**

**Mobility in soil** No information available.

**Mobility in Environmental Media** No information available.

**12.5. Results of PBT and vPvB assessment**

**PBT and vPvB assessment** No information available.

Chemical name	PBT and vPvB assessment
Talc 14807-96-6	The substance is not PBT / vPvB
Propylene glycol 57-55-6	The substance is not PBT / vPvB PBT assessment does not apply
Iron oxide 1309-37-1	The substance is not PBT / vPvB PBT assessment does not apply
Carbon black 1333-86-4	The substance is not PBT / vPvB PBT assessment does not apply

**12.6. Other adverse effects**

**Other adverse effects** No information available

**Section 13: DISPOSAL CONSIDERATIONS**



**13.1. Waste treatment methods**

<b>Waste from Residues/Unused Products</b>	Dispose of in accordance with the European Directives on waste and hazardous waste.
<b>Contaminated Packaging</b>	Empty containers should be taken for local recycling, recovery or waste disposal.
<b>EWC waste disposal No</b>	No information available
<b>Other Information</b>	Waste codes should be assigned by the user based on the application for which the product was used.

**Section 14: TRANSPORT INFORMATION**

<b>IMDG</b>	Not regulated
<b>RID</b>	Not regulated
<b>ADR</b>	Not regulated
<b>ADN</b>	Not regulated
<b>IATA</b>	Not regulated

**Section 15: REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number
Talc 14807-96-6	RG 25
Propylene glycol 57-55-6	RG 84
Iron oxide 1309-37-1	RG 44, RG 94
Carbon black 1333-86-4	RG 16, RG 16bis
Silica, crystalline 14808-60-7	RG 25

**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

**International Inventories**

<b>AICS</b>	No - Not all of the components are listed.
<b>DSL: Canada</b>	Yes - All components are listed or exempt.
<b>EINECS: European Union</b>	No - Not all of the components are listed.
<b>ENCS</b>	No - Not all of the components are listed.
<b>IECSC</b>	No - Not all of the components are listed.

KECL (Annex 1)  
PICCS  
TSCA: United States

No - Not all of the components are listed.  
No - Not all of the components are listed.  
Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances  
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List  
IECSC - China Inventory of Existing Chemical Substances  
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
ENCS - Japan Existing and New Chemical Substances  
KECL - Korean Existing and Evaluated Chemical Substances  
PICCS - Philippines Inventory of Chemicals and Chemical Substances  
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

**Section 16: OTHER INFORMATION**

Full text of H-Statements referred to under section 3

H372 - Causes damage to organs through prolonged or repeated exposure

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data Data from internal and external sources

Prepared By Product Stewardship Department  
Rosco Laboratories Inc.  
52 Harbor View Avenue  
Stamford, CT 06902, USA  
Phone: (203)-708-8900

Issuing Date 03-Mar-2020

Revision Date: 17-Mar-2020

Revision Summary Change to Format

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**